

## Failed Food Establishments

### Board of Health Meeting

10/7/2020

**Fio Express – 1040 Gorham St 8/28/2020**

Serve Safe expired

Allergen expired

Evidence of mice / more frequent treatments

Reinspection: 9/3/2020

Last three inspections:

**Belvidere House of Pizza – 249 High St 8/27/20**

Ansul system out of date

Reinspection: 9/3/2020

Last three inspections:

**Princeton House – 100 Princeton Blvd – 9/2/20**

Allergen Awareness expired / Renewed 9/9/20

Serve Safe Expired / Renewed 9/9/20

Fire Extinguisher expired / Serviced 9/3/20

Reinspection: 9/10/20 Compliance

Last three inspections: All passed

**Espresso's Pizza - 220 Central St – 8/27/20**

Stained and missing ceiling tiles / 9/14/20

Mildew in fridge / Clean immediately

Food uncovered in fridge / Cover immediately

**Employee bottled drinks in ice machine / Remove drinks and ice immediately**

**Reinspection: 9/14/20 Compliance**

**Last three inspections:**

**Market St Market – 95 Market St 9/1/20**

**Falafel being cooked at home to be sold in the store / Discard**

**No hood & Ansol system for cooking that produces grease-laden vapors**

**Reinspection: 9/14/20 Compliance**

**Last three inspections: All passed**

**Santoro's Sub Shop – 194 Gorham St 9/14/20**

**All interior doors filthy / Clean**

**Dish racks damaged and filthy / Replace**

**Refrigerator filthy / Clean immediately**

**Reinspection:**

**Last three inspections: All Passed**

**Trolley Pizza – 970 Gorham St 9/21/20**

**Ansul system out of date**

**Excessive flies in kitchen / Remove immediately – keep rear door shut**

**Allergen Cert expired**

**Reinspection:**

**Last three inspections: All passed**

