

Failed Restaurants

Ecuamerica Grocery Store - 419 Bridge St - Failed on 6/19/18 – Sale of unlabeled food and no servsafe and Allergens. They stop serving ready-to-eat food and removed all the unlabeled food. They are in the process of getting their serve safe and allergy awareness. Follow up inspection 7/10/18 passed. Insp – Jimmy Le

Last three inspections - All passed

Viet Thei Restaurant – 368 Merrimack St – Failed on 7/11/18 – Kitchen unclean, dirty cutting board, items on freezer floor, staff food near prep area. The inspector gave them 24 hours to comply. A follow-up inspection on 7/12/18 passed. Insp – Adam McPhillips

Last three inspections - All passed

Senmonorom Restaurant – 1671 Middlesex St – Failed on 7/11/18 – Several violations – They voluntary closed to come into compliance. 7/12/18 inspection passed. Insp – Aurea Rivera

Last three inspections - Fail 1/12/18, Pass, Pass

Previous fail – emergency close for mice droppings

Pho Dalet Restaurant – 475 Chelmsford St – Failed on 8/3/18 – Hood system outdated – Clean front of the hood system – Coolers must be organized. Reinspection - 8/13/18 – Compliance. Insp – Aurea Rivera

Last three inspections - Pass, Fail 2/5/18, Pass

Previous fail - outdated hood, no pest control receipt

Mandarin Lowell – 1592 Middlesex St – Failed on 7/26/18 – Dirty hoods – clutter in the kitchen – coolers unorganized – meat left out – items on floor in wait-in.

Reinspection 8/3/18 – Compliance. Insp – Aurea Rivera

Last three inspections - All passed

Princeton House – 100 Princeton Blvd – Failed 7/17/18 – Kitchen not organized – Coolers not organized – Clean behind door (spider webs) – Clean floor and equipment – Screen door open - Flies entering – Light covers missing.

Reinspection 7/27/18 – Compliance. Insp – Aurea Rivera

Last three inspections - All passed

Jillie's Café – 600 Rogers St – Failed 8/16/18 – Hood system not up to date.

Reinspection - 8/27/18 Pass - Lisa Sam

Last three inspections - All passed

China East – 590 Rogers St – Failed 8/16/18 – Hood system not up to date.

Reinspection - 8/27/18 Pass - Lisa Sam

Last three inspections - All passed

Gold Star Restaurant – Failed 8/16/18 – Hood System not up to date.

Reinspection - 8/27/18 Pass - Lisa Sam

Last three inspections – All passed