

Board of Health Meeting 4-4-19

Failed Restaurants

PJ Variety – 195 E Merrimack St - 2/24/19 – Closed due to fire in apartments above – whole building condemned.

New Great Taste - 3/4/19 – Fish in hand washing sink. Meat left out. Haze in dining room. Items on floor in freezer. Cutting board unkempt. Bulbs uncover.

Reinspection 3/6/19 Passed – FD confirmed - Hood to be cleaned every 3 months.

Fabiano's Pizza – 127 Merrimack St – 3/5/19 – Hood system not serviced

Reinspection

Last three inspections

El Portro Mexican Restaurant – 124 Merrimack St 3/5/19 Hood system not serviced

Reinspection

Last three inspections

V-Mart – 125 Church St 3/15/19 – Evidence of mice – Men's bathroom handle sink broken – Hole in floor in front of bathroom.

Reinspection 3/15/19

Last three inspections

KilKeny's Pub – 660 Rogers St – 3/13/19 - No active ServeSafe

Reinspection: 3/21/19 Compliance

Last three inspections:

Pizza Hut – 131 Church St -3/7/19 – Hood system needs cleaning

Reinspection: 3/19/19 Compliance

Last three inspections:

**Green Bamboo – Uncovered items in freezer – Dirty cutting board
– Hand was sink not obstructed – Hood needs cleaning (change to
three month service) –**

Reinspection: 3/21/19 Compliance

Last three inspections: