



OSRP Park Assessment Form

Starting Your Park Count!

Thank you for being part of the City of Lowell's 2025 Park Count! The information you provide here will be critical for guiding open space projects in the City over the next seven years.

1. What park are you at today?

2. What is your name?

3. What is your email address?



OSRP Park Assessment Form

Vehicular Access / Parking

4. If this section does not apply to the park you are at today, please select the bubble below and click the "Next" button at the bottom of the page:

(Example: If the section is about Athletic Fields but there are no athletic fields currently at the park, select the bubble below and move on to the next section.)


This section does not apply to the park I am at today

5. Cleanliness

- 0 Points: Presence of broken glass, needles, condoms, or feces.
- 1 Point: 10+ pieces of litter in any 25'x25' area, no broken glass, needles, condoms, or feces present, some stains on pavement, some graffiti or gum on surfaces. Fallen leaves may be present.
- 2 Points: 5-10 pieces of litter in any 25'x25' area, no broken glass, needles, condoms, or feces present, some visible stains on pavement, no graffiti or gum on surfaces. Fallen leaves may be present.
- 3 Points: Fewer than 5 pieces of litter in any 25'x25' area, no broken glass, needles, condoms, or feces present, no visible stains on pavement, no graffiti or gum on surfaces. Fallen leaves may be present.

Vehicular Access / Parking

Cleanliness




6. Drainage

- 0 Points: Significant areas of standing water.
- 1 Points: Standing water pockets with a surface area greater than 1'x1'.
- 2 Points: Small pockets (smaller than 1'x1' area) of standing water due to dips in parking pavement.
- 3 Points: No standing water.
- The lot was not wet/I could not tell if there are drainage issues.



Vehicular Access / Parking

Drainage



7. Maintenance and Repair

- 0 Points: Tripping hazards throughout.
- 1 Point: Uneven surfaces and potholes, some tripping hazards present.
- 2 Points: Some imperfections on the surface such as cracks and chipping but largely free from tripping hazards.
- 3 Points: 90% of the area is level with no tripping hazards.





OSRP Park Assessment Form

Vehicular & Pedestrian Pathways - Soft Paved Areas

Soft Paved Area: An area made of compacted soil, gravel, or another material that is not asphalt or concrete.

8. If this section does not apply to the park you are at today, please select the bubble below and click the "Next" button at the bottom of the page:

(e.g. if the section is about Athletic Fields but there are no athletic fields currently at the park, select the bubble below and move on to the next section)

This section does not apply to the park I am at today

9. Cleanliness

0 Points: Presence of broken glass, needles, condoms, or feces.


1 Point: 10+ pieces of litter in any 25'x25' area, no broken glass, needles, condoms, or feces present, some stains on pavement, some graffiti or gum on surfaces. Fallen leaves may be present.

2 Points: 5-10 pieces of litter in any 25'x25' area, no broken glass, needles, condoms, or feces present, some visible stains on pavement, no graffiti or gum on surfaces. Fallen leaves may be present.

3 Points: Fewer than 5 pieces of litter in any 25'x25' area, no broken glass, needles, condoms, or feces present, no visible stains on pavement, no graffiti or gum on surfaces. Fallen leaves may be present.

Vehicular & Pedestrian Pathways - Soft Paved Surfaces

Cleanliness




10. Weeds

- 0 Points: Less than 0-50% of paving surfaces are free of weeds.
- 1 Point: 50-75% of paving surfaces are free of weeds.
- 2 Points: 75-100% of paving surfaces are free of weeds.
- 3 Points: 100% of paving surfaces are free of weeds.

Vehicular & Pedestrian Pathways - Soft Paved Surfaces

Weeds




11. Drainage

- 0 Points: Significant areas of standing water.
- 1 Point: Standing water pockets with a surface area greater than 1'x1'.
- 2 Points: Small pockets (smaller than 1'x1' area) of standing water due to dips in parking pavement.
- 3 Points: No standing water.

Vehicular & Pedestrian Pathways - Soft Paved Surfaces

Drainage



12. Maintenance and Repair

- 0 Points: 75-100% of the area has uneven surfaces and significant erosion of surface materials.
- 1 Point: 50-75% of the area has uneven surfaces and significant erosion of surface materials.
- 2 Points: 0-50% of the area has uneven surfaces and significant erosion of surface materials.
- 3 Points: 0% of the area has uneven surfaces and significant erosion of surface materials.

Vehicular & Pedestrian Pathways - Soft Paved Surfaces

Maintenance and Repair





OSRP Park Assessment Form

Pedestrian Pathways - Hard Paved Surfaces

13. If this section does not apply to the park you are at today, please select the bubble below and click the "Next" button at the bottom of the page:

(e.g. if the section is about Athletic Fields but there are no athletic fields currently at the park, select the bubble below and move on to the next section)


This section does not apply to the park I am at today

14. Cleanliness

- 0 Points: Presence of broken glass, needles, condoms, or feces.
- 1 Point: 10+ pieces of litter in any 25'x25' area, no broken glass, needles, condoms, or feces present, some stains on pavement, some graffiti or gum on surfaces. Fallen leaves may be present.
- 2 Points: 5-10 pieces of litter in any 25'x25' area, no broken glass, needles, condoms, or feces present, some visible stains on pavement, no graffiti or gum on surfaces. Fallen leaves may be present.
- 3 Points: Fewer than 5 pieces of litter in any 25'x25' area, no broken glass, needles, condoms, or feces present, no visible stains on pavement, no graffiti or gum on surfaces. Fallen leaves may be present.

Vehicular & Pedestrian Pathways - Hard Paved Surfaces

Cleanliness




15. Drainage

- 0 Points: Significant areas of standing water.
- 1 Point: Standing water pockets with a surface area greater than 1'x1'.
- 2 Points: Small pockets (smaller than 1'x1' area) of standing water due to dips in parking pavement.
- 3 Points: No standing water.


Vehicular & Pedestrian Pathways - Hard Paved Surfaces

Drainage



16. Maintenance and Repair

- 0 Points: Tripping hazards throughout.
- 1 Point: Uneven surfaces and potholes, some tripping hazards present.
- 2 Points: Some imperfections on the surface such as cracks and chipping but largely free from tripping hazards.
- 3 Points: 90% of the area is level with no tripping hazards.





OSRP Park Assessment Form

Lawn / Natural Turf

17. If this section does not apply to the park you are at today, please select the bubble below and click the "Next" button at the bottom of the page:

(e.g. if the section is about Athletic Fields but there are no athletic fields currently at the park, select the bubble below and move on to the next section)


This section does not apply to the park I am at today

18. Cleanliness

- 0 Points: Turf has waste dumping and will require additional maintenance staff for cleanup before mowing can commence.
- 1 Point: Turf has significant litter or organic debris that impedes mowing or general maintenance.
- 2 Points: Turf has some litter and organic debris which can be removed easily.
- 3 Points: Turf is free of litter and organic debris.


Lawn / Natural Turf

Cleanliness




19. Color

- 0 Points: 0-50% of turf area is green.
- 1 Point: 50-75% of turf area is green.
- 2 Points: 75-100% of turf area is green.
- 3 Points: 100% of turf area is green.




20. Density and Spots

- 0 Points: Less than 0-50% of turf area is free of bare spots.
- 1 Point: Less than 50-75% of turf area is free of bare spots.
- 2 Points: 75-100% of turf area is free of bare spots.
- 3 Points: 100% of turf area is free of bare spots.



21. Drainage /Flooded Area

- 0 Points: Less than 0-50% of turf area is free of standing water.
- 1 Point: 50-75% of turf area is free of standing water.
- 2 Points: 75-100% of turf area is free of standing water.
- 3 Points: 100% of turf area is free of standing water.



22. Height

- 0 Points: Lawn is more than 8" tall.
- 1 Point: Lawn is 6 - 8" tall.
- 2 Points: Lawn is 4 - 6" tall.
- 3 Points: Lawn is less than 4" tall.



23. Are there any lawn areas that you feel are under-utilized (not used for picnicking, sledding, etc.) that could be converted to a more resilient landscape cover like clover lawn, pollinator meadow, or tree planting? If yes, please describe the general location and condition of the area/s you identified.



OSRP Park Assessment Form

Planting Beds

24. If this section does not apply to the park you are at today, please select the bubble below and click the "Next" button at the bottom of the page:

(e.g. if the section is about Athletic Fields but there are no athletic fields currently at the park, select the bubble below and move on to the next section)

This section does not apply to the park I am at today

25. Cleanliness

0 Points: More than 10 pieces of litter per 25' x 25' area.


1 Point: 5-10 pieces of litter per 25' x 25' area.

2 Points: 2-5 pieces of litter per 25' x 25' area.

3 Points: Less than 2 pieces of litter per 25' x 25' area.

Planting Beds

Cleanliness




26. Weediness

- 0 Points: Weeds cover 75-100% of planting bed.
- 1 Point: Weeds cover 50-75% of planting bed.
- 2 Points: Weeds cover 25-50% of planting bed.
- 3 Points: Weeds cover 0-25% of planting bed

Planting Beds

Weeds



27. Plant Condition

Standard: Shrubs should be healthy with no broken/damaged/dying branches. No exposed roots. No visible deficiencies (dropping of leaves, poor leaf colors, disease). No visible damage from equipment use. This may include park users creating "desired paths" between shrubs, damaging the plants, exposing the branches and roots and soils as a result of improper uses.

- 0 Points: Less than 0-25% of plants are considered healthy and in good condition based on standards.
- 1 Point: 25-50% of plants are considered healthy and in good condition based on standards.
- 2 Points: 50-75% of plants are considered healthy and in good condition based on standards.
- 3 Points: 75-100% of plants are considered healthy and in good condition based on standards.

Planting Beds

Plant Condition




28. Pruning

Standard: All plant material has the appropriate size and shape to suit location. Plants appear natural in form, with no overly coarse growth.

- 0 Points: 0-50% of plants meet the standards.
- 1 Point: 50-75% of plants meet the standards.
- 2 Points: 75-100% of plants meet the standards.
- 3 Points: 100% of plants meet the standards.

Planting Beds

Pruning



29. Mulching

Standard: For beds which clearly have mulch cover (wood chips), the mulch fully covers planting areas/bed and appears level. No evidence of erosion present.

- 0 Points: 0-50% of planted areas meet the standards.
- 1 Point: 50-75% of planted areas meet the standards.
- 2 Points: 75-100% of planted areas meet the standards.
- 3 Points: 100% of planted areas meet the standards.
- There is no mulch present in the planting beds at this location





OSRP Park Assessment Form

Trees

30. If this section does not apply to the park you are at today, please select the bubble below and click the "Next" button at the bottom of the page:

(e.g. if the section is about Athletic Fields but there are no athletic fields currently at the park, select the bubble below and move on to the next section)

This section does not apply to the park I am at today

31. Plant Condition

Standard: Healthy with no broken/damaged/dying branches. No heaving roots or overly exposed roots on ground surface. No visible damage from equipment on tree trunks. No visible deficiencies (thin canopy, poor leaf color). Root flares are visible for newly planted trees.

0 Points: 0% of the trees meet the standards.



1 Point: 0-50% of the trees meet the standards.

2 Points: 50-75% of trees meet the standards.

3 Points: 75-100% of trees meet the standards.

Trees


Plant Condition



32. Weediness

Standard: No sucker shoots growing from the base of the trees and vines entangled with the trees. Vines in trees do not exceed five (5) feet in height and are not in the canopy.




- 0 Points: 0% of the trees meet the standards.
- 1 Point: 0-50% of the trees meet the standards.
- 2 Points: 50-75% of trees meet the standards.
- 3 Points: 75-100% of trees meet the standards.



33. Pruning

Standard: Plants appear natural in form, with no overly coarse growth. No dead limbs are present.

- 0 Points: 0% of the trees meet the standards.
- 1 Point: 0-50% of the trees meet the standards.
- 2 Points: 50-75% of trees meet the standards.
- 3 Points: 75-100% of trees meet the standards.



36. Forebay Area

Standard: Forebay areas are small depression areas at the inflow of the rain garden that allow the dissipation of energy and the settlement of sediments before the water flows into the rain garden. Forebay areas, if applicable, should be free of litter, leaves, and accumulated sediment. Water flows without obstruction from the forebay area to the planting area.

- 0 Points: Forebay area is filled with sediment, leaves, and litter and requires vacuuming. Flow of water is obstructed.
- 1 Point: Forebay area has some leaves and litter and sediment accumulation and requires vacuuming. Flow of water is not obstructed.
- 2 Points: Forebay area has some leaves and litter but can be easily cleared by hand. Flow of water is not obstructed.
- 3 Points: Forebay area meets the standard.

Rain Gardens

Forebay Area



37. Planting Area

Standard: Planting area is free of trash and debris. There is no evidence of soil erosion. There are no weeds or dead vegetation. Trees are pruned and healthy. Rain garden plants are growing and healthy.

- 0 Points: Weeds have taken over the majority of the plant bed, significant litter present.
- 1 Point: Significant erosion and/or significant weeds. Plants are alive but are compromised by weeds and erosion. Some litter.
- 2 Points: Some erosion and/or minimal weeds. Plants are growing and healthy. Minimal litter.
- 3 Points: Planting area meets the standard.

Rain Gardens

Planting Area



38. Overflow/Outlet

Standard: Overflow structure/outlet is free of damage or litter. Flow of water is not obstructed by litter, debris, or damage.

- 0 Points: Significant damage to overflow/outlet and/or significant litter or debris blocking overflow/outlet that cannot be easily removed by hand. Flow of water is obstructed.
- 1 Point: Significant litter or debris blocking overflow/outlet that can easily be removed by hand. Flow of water is minimally obstructed.
- 2 Points: Minimal litter or debris blocking overflow/outlet that can easily be removed by hand. Flow of water is not obstructed.
- 3 Points: Overflow/outlet meets the standards.

Rain Gardens

Overflow / Outlet





OSRP Park Assessment Form

Athletic Fields

39. If this section does not apply to the park you are at today, please select the bubble below and click the "Next" button at the bottom of the page:

(e.g. if the section is about Athletic Fields but there are no athletic fields currently at the park, select the bubble below and move on to the next section)


This section does not apply to the park I am at today

40. Cleanliness

- 0 Points: Fields and dugouts have significant litter, waste dumping, or organic debris which impedes mowing, general maintenance, and use.
- 1 Point: Fields and dugouts have litter or organic debris which impedes mowing, general maintenance, and use.
- 2 Points: Fields and dugouts have some litter (no more than 3-4 pieces of litter or debris) in a 25' x 25' area.
- 3 Points: Fields and dugout are free of litter and debris.


Athletic Fields

Cleanliness



41. Color

- 0 Points: 0-50% of turf area is green.
- 1 Point: 50-75% of turf area is green.
- 2 Points: 75-100% of turf area is green.
- 3 Points: 100% of turf area is green.




42. Density and Spots

- 0 Points: 0-50% of turf area is free of bare spots.
- 1 Point: 50-75% of turf area is free of bare spots.
- 2 Points: 75-100% of turf area is free of bare spots.
- 3 Points: 100% of turf area is free of bare spots.



43. Drainage / Flooded Area

- 0 Points: 0-25% of turf area is free of standing water.
- 1 Point: 25-75% of turf area is free of standing water.
- 2 Points: 75-100% of turf area is free of standing water.
- 3 Points: 100% of turf area is free of standing water.



44. Grass Height

- 0 Points: Lawn is 10" - 20" high.
- 1 Point: Lawn is 5" - 10" high.
- 2 Points: Lawn is 2.5" - 5" high.
- 3 Points: Lawn is 2.5" high



45. Infield

Standard: Pitching mounds and batter's boxes are in good conditions; visibly groomed and cared for. Fields are visibly lined and ready for games.

- 0 Points: Standards are not met.
- 3 Points: Standards are met.
- There is no infield at this location



46. Structures

Standard: Sport-related and support structures are operational for playing or spectating. Structures include bleachers, backstops, goal posts, etc.

- 0 Points: Standards are not met.
- 3 Points: Standards are met.
- There are no sport-related structures at this location

Athletic Fields - Structures

Maintenance and Repair





OSRP Park Assessment Form

Sports Courts

47. If this section does not apply to the park you are at today, please select the bubble below and click the "Next" button at the bottom of the page:

(e.g. if the section is about Athletic Fields but there are no athletic fields currently at the park, select the bubble below and move on to the next section)

This section does not apply to the park I am at today

48. Cleanliness

0 Points: Presence of broken glass, needles, condoms, feces.





1 Point: More than 10 pieces of litter per 25'x25' area.

2 Points: No more than 10 pieces of litter per 25'x25' area.

3 Points: No more than 5 pieces of litter per 25'x25' area.

Sports Courts

Cleanliness




49. Maintenance and Repair

Standard: Paving surfaces are in good repair with no visible cracking, heaving, tripping hazards, or unlevel surfaces. There is no pooling or ponding of water. Paving surfaces are flush with adjacent surfaces. Paving surfaces are not eroding into other areas. Edging materials are securely in place and level.

- 0 Points: 0-25% of paving surfaces meet standards.
- 1 Point: 25-75% of paving surfaces meet standards.
- 2 Points: 75-100% of paving surfaces meet standards and do not impede play.
- 3 Points: 100% of paving surfaces meet standards and do not impede play.

Sports Courts

Maintenance and Repair




50. Painted Surfaces and Striping

- 0 Points: 0-25% of paint surfaces are visible / not worn out.
- 1 Point: 25-75% of paint surfaces are visible/not worn out.
- 2 Points: 75-100% of paint surfaces are visible/not worn out.
- 3 Points: 100% of paint surfaces are visible/not worn out.

Sports Courts

Painted Surface and Striping




51. Structures - Maintenance and Repair

Standard: Sport-related and support structures are in good condition and operational for playing. This may include basketball nets and rims, tennis court nets, etc.

- 0 Points: 0-25% of structures meet the standards and play on the court is not feasible.
- 1 Point: 25-75% of structures meet the standards.
- 2 Points: 75-100% of structures meets the standards.
- 3 Points: 100% of structures meets the standards.

Sports Courts - Structures

Maintenance and Repair





OSRP Park Assessment Form

Playgrounds

52. If this section does not apply to the park you are at today, please select the bubble below and click the "Next" button at the bottom of the page:

(e.g. if the section is about Athletic Fields but there are no athletic fields currently at the park, select the bubble below and move on to the next section)


This section does not apply to the park I am at today

53. Cleanliness

- 0 Points: Presence of broken glass, needles, condoms, feces, offensive graffiti.
- 1 Point: Safety surface has more than 3 pieces of litter per 25' x 25' area. Climbing structures and play elements have minimal staining, stickers, or graffiti on surfaces.
- 2 Points: Safety surface has 1-3 pieces of litter per 25' x 25' area. Climbing structures and play elements have some staining due to use and age.
- 3 Points: Safety surface is free of litter. Climbing structures and play elements have no visible stains, stickers, or graffiti on surfaces.

Playgrounds


Cleanliness



54. Climbing Structures and Play Elements - Maintenance and Repair

Standard: All structures and elements in good repair; all mechanical connections are secured (check for loose and moving pieces), no cracks, or broken wood or plastic components, no peeling paint/coating finishes or visible rusting on metal play components, or frayed rope or netting elements. Clear evidence of efforts to repair damage areas.

- 0 Points: Damaged or vandalized play elements prevent play as usual or there are safety issues such as exposed sharp edges, protruding screws or connections, or broken equipment.
- 1 Point: 0-25% of climbing structures and play elements meet the standards. Play on parts of the playground is impeded or unsafe.
- 2 Points: 25-75% of climbing structures and play elements meet the standards. Play on all parts of the playground is not impeded or unsafe.
- 3 Points: 75-100% of climbing structures and play elements meet the standards. Play on all parts of the playground is not impeded or unsafe.




55. Safety Surfaces - Maintenance and Repair

Standard: Safety surfacing in good repair with no visible damage such as cracking or tears (for poured-in-place rubber surfaces or rubber tiles) or deeply eroded areas (engineered wood fiber, wood chips, or sand surfacing).

- 0 Points: 0-25% of safety surfaces meet the standard.
- 1 Point: 25-75% of safety surfaces meet the standard.
- 2 Points: 75-100% of safety surfaces meet the standard
- 3 Points: 100% of safety surfaces meet the standard.


Playgrounds - Rubber Safety Surface

Maintenance and Repair



Playgrounds - Mulch Surface

Maintenance and Repair





OSRP Park Assessment Form

Splash Pad

56. If this section does not apply to the park you are at today, please select the bubble below and click the "Next" button at the bottom of the page:

(e.g. if the section is about Athletic Fields but there are no athletic fields currently at the park, select the bubble below and move on to the next section)

This section does not apply to the park I am at today

57. Cleanliness

- 0 Points: Needles, drug paraphernalia, condoms, broken glass, or bodily fluids/feces present.
- 1 Point: More than 5 pieces of litter or debris are visible.
- 2 Points: No more than 3-5 pieces of litter or debris are visible.
- 3 Points: No more than 3 pieces of litter or debris are visible.

Splash Pads

Cleanliness




58. Functionality

Standard: All splash pad play elements are fully functional including both ground spray elements and above ground spray elements.

- 0 Points: Standards are not met.
- 3 Points: Standards are met.
- Today's visit is occurring between October - April and splash pad play elements cannot be tested. Flag this park for follow up in-season.

Splash Pads

Functionality



59. Equipment

Standard: Equipment is secured from park visitors but is easily accessible to maintenance workers. Equipment is fully functional.

- 0 Points: Standards are not met.
- 3 Points: Standards are met.

60. Play Surface

Standard: All play surfaces (concrete and painted concrete) are in good repair with no visible cracks, chips, or missing pieces present. No staining is present. Surfaces are not slippery when wet.

- 0 Points: 0% of splash pad surface meets the standard.
- 1 Point: 0-50% of splash pad surface meets the standard.
- 2 Points: 50-75% of splash pad surface meets the standard.
- 3 Points: 75-100% of splash pad surface meets the standard.

Splash Pads

Surface - Maintenance and Repair





OSRP Park Assessment Form

Restrooms

61. If this section does not apply to the park you are at today, please select the bubble below and click the "Next" button at the bottom of the page:

(e.g. if the section is about Athletic Fields but there are no athletic fields currently at the park, select the bubble below and move on to the next section)

- This section does not apply to the park I am at today
- The park I am at today has restrooms, but they were locked or are not typically open to the public.

62. Cleanliness

- 0 Points: Needles, drug paraphernalia, condoms, broken glass, or bodily fluids/feces present.
- 1 Point: More than 5 pieces of litter or debris and/or offensive odor is detected.
- 2 Points: 3-5 pieces of litter or debris are visible on the floor, wall, or ceiling.
- 3 Points: 0-3 pieces of litter or debris are visible on the floor, wall, or ceiling.

Restrooms - Interior

Cleanliness



63. Functionality

Standard: All bathroom equipment (toilets, urinals, sinks, soap dispensers, hand dryers, and diaper changing stations, and lighting elements) are fully functional. No leaks, clogs, all toilets/urinals flush, door locks, fully operable.

0 Points: Standards are not met.

3 Points: Standards are met.

64. Interior Lighting

Standard: Lights are operational.

0 Points: Standards are not met.

3 Points: Standards are met.

65. Supply Inventory

Standard: Fully stocked with toiled paper, paper towels, and soap/hand sanitizer (no missing inventory).

0 Points: Standards are not met.

3 Points: Standards are met.

66. Maintenance and Repair

Standard: All built surfaces (tile walls and floors) are in good repair with no visible cracks, chips, or missing pieces present. All features (partitions, counters, doors and locks) are in good condition.

0 Points: Standards are not met.


3 Points: Standards are met.

67. Trash and Receptacles - Cleanliness

Standard: Clean and not overflowing.

0 Points: Standards are not met.

3 Points: Standards are met.





OSRP Park Assessment Form

Open Pavilions

68. If this section does not apply to the park you are at today, please select the bubble below and click the "Next" button at the bottom of the page:

(e.g. if the section is about Athletic Fields but there are no athletic fields currently at the park, select the bubble below and move on to the next section)

This section does not apply to the park I am at today

69. Cleanliness

Standard: All exterior surfaces (roof, eaves, walls, trim) are clean with little to no visible dirt or discoloration. No visible stains or graffiti on surfaces or stickers present. Evidence of efforts to remove graffiti and repair vandalism is acceptable.

0 Points: Significant graffiti, staining, or vandalism.

1 Point: Some graffiti or staining present from vandalism.

2 Points: Some staining or discoloration present from weathering or regular use. Otherwise the standards are met.

3 Points: Standards are met.

Open Pavilions

Cleanliness



70. Maintenance and Repair

Standard: All built surfaces (roof, eaves, walls, trim, exterior doors/windows) are in good repair with no visible cracks, chips, peeling, or missing pieces.

- 0 Points: Structure is not safe for the public due to structural issues.
- 1 Point: Visible cracks, peeling, leaks in roof, and/or vandalism.
- 2 Points: Some visible chipping of paint or finishes that need attention from weathering or regular use.
- 3 Points: Standards are met.

Open Pavilions

Maintenance and Repair





OSRP Park Assessment Form

Skate Parks

71. If this section does not apply to the park you are at today, please select the bubble below and click the "Next" button at the bottom of the page:

(e.g. if the section is about Athletic Fields but there are no athletic fields currently at the park, select the bubble below and move on to the next section)

This section does not apply to the park I am at today

72. Cleanliness

0 Points: Presence of broken glass, needles, condoms, feces.


1 Point: More than 10 pieces of litter per 25'x25' area.

2 Points: 5-10 pieces of litter per 25'x25' area.

3 Points: 0-5 pieces of litter per 25'x25' area.

Skate Parks

Cleanliness



73. Maintenance and Repair

Standard: Paving surfaces and skatepark features are in good repair with no visible cracking, heaving, tripping hazards, unlevel surfaces, or major holes. Ramps, grind rails, etc. are functional with nuts and bolts tightly fastened. There is no pooling or ponding of water.

- 0 Points: Condition of paving surfaces and/or skate park features and/or standing water prevent normal play and use.
- 1 Point: Less than 0-50% of the paving surfaces and/or skate park features meet the standards. Play is impeded in some areas and/or there are small pockets of standing water.
- 2 Points: 50-75% of the paving surfaces and skate park features meet standards. Play is not impeded. No standing water.
- 3 Points: 75-100% of paving surfaces and skate park features meet standards.

Skate Parks

Maintenance and Repair





OSRP Park Assessment Form

Water Bodies

74. If this section does not apply to the park you are at today, please select the bubble below and click the "Next" button at the bottom of the page:

(e.g. if the section is about Athletic Fields but there are no athletic fields currently at the park, select the bubble below and move on to the next section)

This section does not apply to the park I am at today

75. Cleanliness

Standard: Water's edge is free of litter and debris. Surface of water is free of litter, debris, and algae. Please note that water's edge may be hard surface (canals or river walks) or natural, planted edges or a combination of both.

0 Points: None of the water edge conditions meet the standards.


1 Point: 0-50% of the water edge conditions meet the standards.

2 Points: 50-75% of the water edge conditions meet the standards.

3 Points: 75-100% of the water edge conditions meet the standards.

Waterbodies

Cleanliness




76. Vegetation

Standard: Vegetation is not overgrown and does not create visual obstructions.

- 0 Points: None of the water edge conditions meet the standards.
- 1 Point: 0-50% of the water edge conditions meet the standards.
- 2 Points: 50-75% of the water edge conditions meet the standards.
- 3 Points: 75-100% of the water edge conditions meet the standards.

Waterbodies

Vegetation





OSRP Park Assessment Form

Site Furniture

77. If this section does not apply to the park you are at today, please select the bubble below and click the "Next" button at the bottom of the page:

(e.g. if the section is about Athletic Fields but there are no athletic fields currently at the park, select the bubble below and move on to the next section)

This section does not apply to the park I am at today

78. Cleanliness

Standard: Litter and debris are not spilled out of waste receptacles. Signage is clearly legible. Surrounding areas are maintained. Surfaces and components are clean with no visible dirt or debris present. No visible stains, graffiti, or stickers on surfaces. Evidence of efforts to remove graffiti and repair vandalism is acceptable.

0 Points: 0-25% of site furniture meets the standards.


1 Point: 25-75% of site furniture meets the standards.

2 Points: 75-100% of site furniture meets the standards.

3 Points: 100% of site furniture meets the standards.

Site Furniture


Cleanliness



79. Maintenance and Repair

Standard: Furnishings are upright and not visibly damaged and fully functional. Built surfaces are in good repair with no visible cracks, chips, rust, or delamination present. Chairs and benches are not visibly broken or damaged (missing pieces, cracks, chips, etc.). Clear evidence of efforts to repair damaged furnishings.

- 0 Points: 0-25% of site furniture meets the standards.
- 1 Point: 25-50% of site furniture meets the standards.
- 2 Points: 50-75% of site furniture meets the standards.
- 3 Points: 75-100% of site furniture meets the standards.





OSRP Park Assessment Form

Lighting

80. If this section does not apply to the park you are at today, please select the bubble below and click the "Next" button at the bottom of the page:

(e.g. if the section is about Athletic Fields but there are no athletic fields currently at the park, select the bubble below and move on to the next section)

This section does not apply to the park I am at today


81. Functionality.

Please answer this question to the best of your knowledge. You are not required to visit the park at night.

- 0 Points: 0-25% of lights are operational.
- 1 Point: 25-75% of lights are operational.
- 2 Points: 75-100% of lights are operational.
- 3 Points: 100% of lights are operational.
- Unknown. Flag for follow-up by Parks Department.

Lighting


Functionality



82. Maintenance and Repair

Standard: Light poles and light housing are in good condition, and there is no major visible damage that may lead to structural or safety concerns. All components are in place and no pieces are missing. No rust is present on metal components. Wood components are not cracked, warped, or broken.

- 0 Points: 0-25% of lighting infrastructure meets the standard
- 1 Point: 25-75% of lighting infrastructure meets the standard
- 2 Points: 75-100% of lighting infrastructure meets the standard
- 3 Points: 100% of lighting infrastructure meets the standard
- None of the above



83. Do you feel this park is sufficiently lit?

- Yes
- No



OSRP Park Assessment Form




Fencing

84. Standard: Fencing is functional, free of protrusions, and does not have any holes or openings along the base. Fencing is not entangled with vegetation and the base of the fence is trimmed and maintained.

- 0 Points: 0-25% of the fencing throughout the park meets the standard.
- 1 Point: 25-50% of the fencing throughout the park meets the standard.
- 2 Points: 50-75% of the fencing throughout the park meets the standard.
- 3 Points: 75-100% of the fencing throughout the park meets the standard.

Fencing

Maintenance and Repair





OSRP Park Assessment Form

Trash Receptacles

85. Standard: Trash receptacles are clean and not overflowing.

- 0 Points: 0-25% of the trash receptacles meet the standard.
- 1 Point: 25-50% of the trash receptacles meet the standard.
- 2 Points: 50-75% of the trash receptacles meet the standard.
- 3 Points: 75-100% of the trash receptacles meet the standard.

Trash Receptacles		Cleanliness					
0	Four overflowing trash barrels, each with a red X mark.	1	Two clean trash barrels with red checkmarks, and two overflowing trash barrels with red X marks.	2	Two clean trash barrels with red checkmarks, one overflowing trash barrel with a red X mark, and one clean trash barrel with a red checkmark.	3	Four clean trash barrels, each with a red checkmark.

86. Do you feel that this park has enough trash barrels to meet demand?

- Yes
- No



OSRP Park Assessment Form

Critical Items

The items on this check list are critical to the safety, health, and wellness of the visitors who come to the site. This checklist is necessary for all parks that are being inspected. Any item that gets checked on this list will require immediate attention from a supervisor.

87. General Grounds: The following were found in the park during inspection...

- Needles, any drug paraphernalia, condoms, broken glass, bodily fluids, and/or feces.
- Illegal dumping exceeding 3' x 3' piling
- Graffiti and tagging
- Broken tree limbs that may fall onto pathways, play areas, sport courts, or any area of high traffic?
- Are there any loose and protruding bolts and screws on play features, bleachers, or sports facilities?
- Are there any damaged or broken play or sports components that could cause injuries?
- None of the above

88. For any items found, please note the location here:

(Skip this if you marked "None of the above" for the previous question)

Needles, any drug
paraphernalia,
condoms, broken
glass, bodily fluids,
and/or feces.

Illegal dumping
exceeding 3'x3'
piling

Graffiti and tagging

Broken tree limbs
that may fall onto
pathways, play
areas, sport courts,
or any area of high
traffic?

Are there any loose
and protruding
bolts and screws
on play features,
bleachers, or
sports facilities?

Are there any
damaged or broken
play or sports
components that
could cause
injuries?

94. This park feels safe and welcoming.

Disagree Agree

95. Is there anything you feel this park is missing?

96. Is there a landscape type or park feature you observed that was not covered by this assessment form?

97. Do you have any comments or questions for the planning team?